URBAN DISTRICT



OF CLECKHEATON.

Annual Report

OF THE

MEDICAL OFFICER OF HEALTH.

YEAR ENDED 31st DECEMBER, 1909.

J. A. SUTHERLAND, M.B., C,M.,

MEDICAL OFFICER.

STATISTICAL MEMORANDA, 1909.

| Population, 1891 | 11826 |
|----------------------------------|---------------|
| ,, 1901 | 12520 |
| ,, estimated to middle or | f 1909 13070 |
| Inhabited Houses at end of 1908 | 3444 |
| Density of Population | 7·4 per acre. |
| Acreage | 1755 acres. |
| Birth Rate | 19·35 |
| Death Rate | 11.70. |
| Other Death Rates: | |
| Cancer | 74 |
| Zymotic (seven principal disease | es) ·22 |
| Respiratory (excluding Phthisis) | 2:75 |
| Phthisis | ·45 |
| Infantile Mortality per 1000 Bir | ths 102.7 |
| Total Rainfall | 32·25 inches. |

VITAL STATISTICS FOR ENGLAND AND WALES.

| Ітем. | England and Wales. | Great Towns. 76. | Smaller Towns 142 | England and Wales less the 218 towns. | |
|---------------------------------|--------------------------|-------------------------|-------------------------|--|------|
| Birth Rate | • • • | 25.6* | 25.7 | 24.8 | 25.6 |
| Death Rate | • • • | 14.5* | 14.7 | 13.9 | 14.5 |
| Zymotic Death Rate | • • • | 1.12 | 1.42 | 1.08 | 0.80 |
| Infantile Mortality 1000 Births | per | 109* *Lowest on Record. | 118 | 111 | 98 |

North Bierley Joint Hospital.

ANNUAL REPORT of the Medical Superintendent for the Year ended 31st March, 1910.

GENTLEMEN,

Annual Report of the work done at the North Bierley Joint Hospital during the year ending March 31st, 1910, the principal matter for comment is the my Eighteenth large number of cases admitted. presenting this.

In only one year, viz. 1903, was the number exceeded, when there was an epidemic of Typhoid in the North Bierley district. This year the numbers are due to cases of Scarlatina in the North Bierley and Tong districts.

greatly above their average, whilst Cleckheaton had the fewest cases on record. The number from the Hunsworth district was

remaining from the previous year, making a total of 299. Of these 248 were Scarlatina, 7 Typhoid, 21 Diphtheria, and 8 other diseases. The number of admissions were 284, and 15

The pressure on the accommodation for Scarlatina was great at times, but provision was always available for all cases, North Bierley sending 182, Tong 72. Hunsworth 15, and Cleckheaton 15. Last year North Bierley sent 49, Tong 12, Last year. North Bierley sent 49, Tong 12, Last year North Bierley sent 49, Tong Hunsworth 2, and Cleckheaton 24. The results have been very satisfactory, the Death Rate on all cases was the small one of 3'34. But of these, are deducted 2 dying within 30 hours of admission, and 4 from diseases other than fever, the Death Rate is then only 1.36 for the year.

The usual appended tables will give the detailed information.

John A. Sutherland, M.B., C.M.

| 910. | . 15 | . 10 | 22 299 | 1.70 |
|--|--|------------------|---|-------------|
| ADM1SSIONS—April 1st, 1909, to March 31st, 1910. | Admissions from April 1st, 1909, to March 31st, 1910284 In Hospital, March 31st, 1909 | 267 | d 3·34, | D. J |
| 1st, 1909, to] | 09, to March | | Remaining in Hospital, March 31st, 1910 Mortality on cases treated 3:34. | |
| NS-April | April 1st, 190 ch 31st, 1909 | Discharged Cured | spital, Marc Mortality or | 1.1.1. 70.1 |
| otset | from A | Cured | in Hos | c |

| 2 |
|-------------------|
| 1.36 |
| |
| |
| |
| - 3 |
| - 6 |
| - 6 |
| ď |
| - 0 |
| - |
| |
| ٠. |
| - 2 |
| - 3 |
| other Dicese |
| -7 |
| - 1 |
| and 4 |
| .7 |
| - 5 |
| C |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 30 hours |
| |
| 2 within 30 hours |
| 30 hours |
| |

| l ons. | 7 22 22 23 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25 | 18 16 14 234 | 182 72 15 15 15 | 1. | 90 | | 1-79 | | 1.20 |
|---------------------|--|--------------------------------|--|--------------------|--------|---|---------------|---------|-------|
| Total Admissions | 75125144 125144 125144 12514 1 | 14 8 9 164 | 97 49 10 164 | _ | ᇴ | | | | ы |
| Adn | NU45883000031 | 8 8 120 | 85 23 7 5 5 | ity. | Died | :::: | 1 2 :: | - | 3 |
| F 88 | | u 14 8 | 40 :01 0 | Mortality. | dmit'd | 18088 | 0 - 0 " | 200-1- | |
| Other Discases | F44 : : : : : : | 5 3 | 1 2 2 | , Mc | Adm | 18 9 23 23 | 111 | 3644 | 248 |
| | 2 1 1 1 1 7 1 1 1 1 | 4:410 | 3 : : 2 | AA. and % | - | | | _ | - |
| theria | E :awaaaaa | 22 22 | 21 2 21 | ATINA eaths, and | Died | 1111 | 0 7 : | : : : : | |
| Jip.th | T :4244 :544 | 2 2 | 1 4 7 7 1 1 9 12 | LATIN Deaths, a | P | | | | T |
| | 7 | -4 : 19: | 912 | - □ C - | Admit | 12521 | 383. | -8 | 145 |
| yphoid | | 0 | 1 1 2 | 4 - | Died | :::: | - : : | | _ |
| E | Z ::: CS :::: | 100 100 | 5 : : : 5 | ES III | - 1, | | | | Ļ. |
| Scarla- tina. | 111228 111228 111228 12228 12328 133 | 13 16 8 12 4 8 45 248 | 90 IG7 39 55 8 15 8 11 145 248 | | dmit'd | 1044H | 25 43 | : : ا | 103 |
| S. : | 100 C C C C C C C C C C C C C C C C C C | 3 4 4 4 103 1 | 77 16 7 3 3 | Showing | A | | 10 | | 1 |
| | April May May June July August. Septem Oct. Novem | h ts | Bierly ng nswth kheatn rals | S | | 1 1 2 1 3 3 3 4 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 | 5—10 10—15 | 1 % | Total |
| | ###################################### | regal H | NGES & | | | | Total | ~~~~ | |

* Died in 30 hours. + Died in Epileptic Fit when convalescent.

| Ages Admit'ed Died D |
|--|
|--|

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

TOWN HALL,
CLECKHEATON,

12th Feby., 1910.

To the Chairman and Members of the Urban District Council of Cleckheaton.

GENTLEMEN,

I have great pleasure in laying before you my fourth Annual Report on the Health and Sanitary condition of the District for the year ending 31st December, 1909.

The year has been one of the healthiest, and this has been brought about in a great measure owing to the wet summer.

An excess of sunshine plus dust and microbes affects the health of infants and also adults. After a glorious summer, in the early autumn, fever is more prevalent and many more infants die, than during a fairly wet season.

The dust of the roads consists largely of hard particles and is mixed with innumerable particles of decaying organic matter often of an extremely noxious character, and there can be no doubt that such particles are capable of conveying the germs of various diseases.

To minimise the dust of our main streets, I should strongly recommend tar spraying; watering is only a very temporary benefit-

Infectious Diseases have been few, in fact, the notifications recorded were only 17, the lowest since the Act was put into operation.

Progress has been made in the adoption of water carriage, but there is a lot of work yet to be done in that direction; only a small part of the work at Moor End has been taken in hand—the rest ought to be pushed on.

There are many backyards that require paving for various reasons; this would greatly add to the comfort and health of the neighbourhood.

I have again to report well of the Webb Destructor Lamps. I only wish a few more could be introduced at suitable positions, such as New Lane, Scholes, and some dead ends of sewers.

The Milk Supply has been good—at least all the samples I have tested have been of good quality. It is highly necessary that the Milk Supply should be free from the dangers of contamination. As a country we are years behind many countries with control of the Milk Supply. A good deal remains to be done before the mistals are what they ought to be as regards ventilation, and cleanliness, both of the premises and animals.

No provision has yet been made by the placing of wire baskets in the streets for the reception of orange peel, banana skins, paper, &c., such receptacles would do much to keep the streets in a better state.

Next year the census will be taken and then we shall know the exact population. I am inclined to think we are rather under estimated. Before next year we want the naming and numbering of our streets; at present it is extremely difficult to locate houses for reference purposes. POPULATION.—The population was estimated at the middle of the year at 13070, an increase on the previous year of 70. The population is distributed in the three Wards as follows:—

| Cleckheator | 1 | • • • | 10,655 |
|-------------|-------|-------|--------|
| Scholes | • • • | • • • | 1,760 |
| Oakenshaw | • • • | • • • | 655 |
| | TOTAL | • • • | 13,070 |

BIRTHS.—The total number of births registered during the year was 253, a decrease of 6 on the preceding year. Of those infants 124 were males and 129 females. The total birth rate was 19.35, a decrease of 0.57 on 1908. The rate for the whole of England and Wales was 25.6 per 1000, and the ratios of the past six years were as follows:—

| Year. | | Number. | | Rate per 1000. |
|-------|-------|---------|-------|----------------|
| 1904 | | 278 | • • • | 21.84 |
| 1905 | | 278 | • • • | 21.72 |
| 1906 | • • • | 260 | • • • | 20.20 |
| 1907 | | 267 | • • • | 20.64 |
| 1908 | • • • | 259 | • • • | 19.92 |
| 1909 | • • • | 253 | • • • | 19.35 |

The numbers and rates for each Ward are as follows:-

| Ward. | Ra | te per 1909 | 1000. | Rate pe | r 1000. 3. | Rate pe | er 1000. 07. | Rate p | er 1000 906. |
|-------------|-------|----------------|-------|---------|---------------|---------|-----------------|--------|-----------------|
| Cleckheaton | | 198. | 18.58 | 3 216. | 20.37 | 216. | 20.48 | 207 | 19.61 |
| Scholes | • • • | 43 | 24.43 | 34. | 19.42 | 42. | 24.13 | 42 | 24.35 |
| Oakenshaw | | 12 | 18.32 | 9. | 13.84 | 9. | 13.95 | 11 | 17.18 |

ILLEGITIMACY.—The number of Illegitimate Births registered was 5, a decrease on the previous year of 6. This number is equal to a percentage of all births of 1.97.

MEDICAL OFFICER'S ANNUAL REPORT.

31st Dec., 1909.

QUARTERLY RETURNS OF BIRTHS.

| | | | Males. | Females. | Total |
|---------|--------|-------|--------|----------|--------|
| First Q | uarter | | 31 | 38 | 69 |
| Second | . , , | | 29 | 33 | 62 |
| Third | , , | | 31 | 32 | 63 |
| Fourth | , , | | 33 | 26 | 59 |
| | Totals | • • • | 124 | 129 | 253 |
| | | | | | |

DEATHS.—The total number of deaths registered during the year was 156. Eight deaths occurred in the North Bierley Joint Hospital (Bradford residents). These have to be deducted. On the other hand I have notices of the deaths of 5 Cleckheaton residents who died out of the district. The corrected number therefore becomes 153, a decrease of 26 on last year. Of these deaths 73 were males and 80 females.

QUARTERLY RETURNS OF DEATHS.

| | | N | Males. Females. | | otals. | | |
|---------|--------|---|-----------------|-------|--------|--|-----|
| First Q | uarter | | 26 | • • • | 27 | | 53 |
| Second | 2.7 | | 15 | | 18 | | 33 |
| Third | 2.3 | | 16 | | 12 | | 28 |
| Fourth | , , | | 16 | | 23 | | 39 |
| | TOTAL | s | 73 | | 80 | | 153 |
| | | | | | | | |

The total annual death rate is equal to 11.70, a decrease of 1.91 on the year before. The rate for England and Wales for the same period is 14.5 (lowest ever recorded).

COMPARATIVE TABLE FOR THE PAST TEN YEARS.

1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909.

14·77 16·93 13·34 12·88 15·71 14·53 15·07 11·13 13·61 11·70 °

Average for 10 years 13.96.

The separate numbers and rates for each Ward were as follows:—

| 10110 W S : | | | | | | | | |
|-------------|-------|-------|----------|-----|----------|-------|----------|--|
| | | 1909. | | 19 | 908. | 1907. | | |
| | | No. | Rate per | No. | Rate per | No. | Rate per | |
| | | | 1000. | | 1000. | | 1000. | |
| Cleckheaton | | 129 | 12.10 | 154 | 14.52 | 116 | 11.00 | |
| Scholes | • • • | 17 | 9.65 | 19 | 10.92 | 23 | 13.21 | |
| Oakenshaw | | 7 | 10.68 | 6 | 9.23 | 5 | 7.75 | |

Infantile Mortality.—The number of Infantile Deaths registered, *i.e.*, of children under one year of age, was 26, a decrease of 4. This equals a percentage of all deaths of 16.99, a percentage of all births of 10.27, and a total annual death rate of 1.98. The Infantile Mortality is therefore 102.7, this being the rate per 1000 births as compared with 115.8 for last year, and with 109 for England and Wales.

| | RATES | FOR THE | PAST SIX | YEARS. | |
|-------|-------|---------|----------|--------|-------|
| 1904. | 1905. | 1906. | 1907. | 1908. | 1909. |
| 158.2 | 136.5 | 130.7 | 89.8 | 115.0 | 102.7 |

On analysing the figures we get the following results:--

| | | | | 1909. | 1908. | 1907. |
|-----------------|---------|----------|----------|-------|-------|-------|
| Premature Birth | and De | eficient | Vitality | | | |
| at Birth | | | • • • | 9 | 6 | 9 |
| Bronchitis | • • • | | • • • | 2 | 7 | 7 |
| Diarrhœa | • • • | | • • • | O | 3 | 0 |
| Meningitis | • • • | | • • • | O | 3 | 1 |
| Convulsions (Te | ething) | | • • • | 5 | 3 | 3 |
| Tuberculosis | • • • | • • • | • • • | O | O | 2 |
| Whooping Coug | h | | • • • | 1 | 1 | 0 |
| Other Diseases | • • • | • • • | • • • | 9 | 7 | 2 |
| | | | TOTAL | 26 | 30 | 24 |

This rate, though lower than in some previous years, is higher than it ought to be.

We have not adopted the Early Notification of Births Act, of 1907. If it were adopted, it would prove of considerable service in the prevention of the Mortality of Infants, especially if a Nurse having a Certificate in Sanitary Science could visit the home of every newly born child and give advice to the mothers on Infant Feeding, &c.

Under the Children's Act, open fireplaces must have an effective fire guard: where a child gets burned for the want of one, parents are liable to a heavy fine.

Over one year and under five years of age the number of deaths was 3, a decrease of 4. This gives a percentage of all deaths of 5.22, a percentage of all births of 3.16, and a total annual death rate of 60. The total number of deaths therefore of children under 5 years of age was 34, a decrease of 8 on the previous year. This number is equal to a percentage of all deaths of 22.22, to a percentage of all births of 13.43, and a total annual death rate of 2.60, as compared with 3.23 in 1908, 2.70 in 1907, 5.36 in 1906, and 3.97 in 1905.

TABULAR STATEMENT OF DEATHS AT ALL AGES.

| Age | 0-1 | 1-5 | 5-15 | 15-25 | 25-65 | 65 and upwards. |
|------|-----|-----|------|-------|-------|-----------------|
| 1909 | 26 | 7 | 3 | 4 | 62 | 51 |
| 1908 | 30 | 12 | 10 | 11 | 59 | 55 |
| 1907 | 24 | 11 | 5 | 5 | 38 | 61 |
| 1906 | 34 | 36 | 19 | 10 | 49 | 56 |
| 1905 | 38 | 12 | 8 | 14 | 59 | 57 |

SENILE MORTALITY.—The total number of deaths over 70 was 29, a decrease of 9. Of these 11 were males and 18 females. The combined ages equal 2214 years, or an average of 76·34. The oldest inhabitants who died were a female, aged 88 and a male, aged 82.

CAUSES OF DEATHS.

ZYMOTIC DISEASES.—From Zymotic Diseases 3 deaths occurred, a decrease of 4 from last year.

| | | | 1908. | | | | |
|--|-------|---------------------------------|--|--|---------------------------------|--|--|
| DISEASE. | | No. of Deaths. | Percentage of all Deaths. | Death Rate for 1909. | No. of Deaths. | Percentage of all Deaths. | Death Rate for 1908. |
| Small Pox Measles Scarlet Fever Diphtheria Whooping Cou Enteric Fever Diarrhæa | ugh | 0 0 1 0 2 0 0 | 0·00 0·00 0·65 0·00 1·30 0·00 0·00 | 0·00 0·00 0·07 0·00 0·15 0·00 0·00 | 0 0 0 2 1 1 3 | 0·00 0·00 0·00 1·11 0·55 0·55 1·67 | 0·00 0·00 0·00 0·15 0·07 0·07 |
| Totals | • • • | 3 | 1.95 | 0.22 | 7 | 3.88 | 0.52 |

These 3 deaths are equal to a percentage of all deaths of 1.95, and to a total annual death rate of .22. In 1908 the rate was .53. For the year 1909 the rate for England and Wales was 1.12.

MORTALITY FROM SOME OTHER DISEASES.

| DISEASE. | No. of Deaths. | Per cent of all Deaths. | Death Rate for 1909. | No. of Deaths. | Per cent of all Deaths. | Death Rate for 1908. | No. of Deaths. 1907. | Death Rate for 1907 |
|---|----------------------|-------------------------------|--------------------------------------|--------------------------|--|----------------------------|-------------------------------|--------------------------------------|
| Phthisis Disease of Res- | 6 | 3.92 | 0.45 | 9 | 5.02 | 0.69 | 7 | 0.24 |
| piratory Organs Heart Disease Bright's Disease Influenza Cancer | | 3·26 0·00 | 2·75 0·91 0·39 0·00 0·74 | 35 22 3 0 15 | 19·55 12·29 1·67 0·00 8·37 | 1·69 0·23 0·00 | 42 15 6 · 2 9 | 3·24 1·16 0·46 0·15 0·69 |
| Totals | 69 | 45.09 | 5.27 | 84 | 46.90 | 6:45 | 81 | 6:24 |

Phthisis:—Sanitary Authorities everywhere are working energetically to combat this scourge and with much success, as shown by the steady decline in the number of deaths from this disease.

Our Death Rate is comparatively low, and by continued efforts in teaching the people the necessity of avoiding overcrowding and allowing as much sunshine and fresh air into bedrooms, care in the disposal of tubercular sputum—refraining from indiscriminate spitting—it would be lower still. During the past summer I made a series of observations between 10 and 12 a.m. and found, out of 538 bedroom windows only 92 were open at all.

The disinfection of rooms occupied by tuberculosis cases is carried out, but with no notification of the disease, it is often late till the rooms can be attended to.

CANCER:—Has caused 10 deaths as compared with 15 last year; 7 in persons aged from 25 to 65 and 3 above 65.

The number of Inquests held during the year was 7 as compared with 9 in 1908, 4 in 1907, 6 in 1906, and 8 in 1905. Two of the cases arose from accidents, one from suicide, and four from natural causes.

Mortuary.—The Mortuary has been used twice during the year and on one of the occasions a P.M. was required.

DISPOSAL OF THE DEAD.—18 Interments had taken place in the Cemetery in Whitechapel Road. Total since its opening, 131.

SANITARY ADMINISTRATION.

Notification of Infectious Diseases.—The Notifications of Infectious Diseases received number 17, as compared with 47 in 1908, 50 in 1907, 147 in 1906, 105 in 1905, 99 in 1904 and 125 in 1903. Scarlatina, 15; Diphtheria, 1; Enteric Fever, 0; Erysipelas, 1; Puerperal Fever, 0. Of these notifications, 9 occurred in back-to-back houses and 8 in through houses.

DISTRIBUTION AND COMPARATIVE STATEMENT FOR THE PAST THREE YEARS.

| | Sca | arlatina | Enteric Fever | r. Small F | ox Ery | rsipelas | D _{iphtheria} |
|----------|------|---|-----------------------|-------------------------|-------------------|----------|------------------------|
| WARD. | 1909 | 1908 | 1909 | 1909 | 1907 | 1908 | 1909 1908 1907 |
| Scholes | 9 | $\begin{vmatrix} 30/2 \\ 1 \end{vmatrix}$ | 1 0 3 7 0 0 0 0 | 5 0 0 0 0 0 1 0 0 | 0 1 0 0 0 0 | | 0 0 2 |
| Totals . | 15 | 31 31 | 0 3 | 6 0 0 | 0 1 | 8 4 | 1 4 9 |

TABLE OF CASES SENT TO HOSPITAL.

| WARD. | Scarlatina | | Small Pox | | Enteric Fever | | Diphtheria | | |
|----------|------------|-------------|--------------|-------------|------------------|-------------|-------------|-------------|-------------|
| | | 1909 | 1908 | 1909 | 1908 | 1909 | 1908 | 1909 | 1908 |
| Scholes | | 8 1 4 | 26 1 0 | 0 0 0 | 0 0 0 | 0 0 0 | 2 0 0 | 1 0 0 | 1 0 0 |
| Totals . | | 13 | 27 | 0 | 0 | 0 | 2 | 1 | 1 |

The Erysipelas case was not eligible for hospital treatment. Of the remaining 16 cases, there were removed 14, or 87.5.

REMOVAL PERCENTAGE FOR PAST SIX YEARS.

| 1904 | 1905 | 1906 | 1907 | 1908 | 1909 |
|------|----------|-----------|--------------------|------------|-----------|
| 87% | 90% | 83.8% | 76·08 % | 81.08% | 87.5% |

Hospital Accommodation—The North Bierley Joint Hospital received all the cases and they received every attention there.

The Small Pox Hospital is kept ready for immediate use, but fortunately it has not been required.

WATER CLOSETS, ETC.—During the year 74 overhead flushes were erected, also 3 earth closets.

In my last report particulars of a number of Privy Middens that required attention were given. I am sorry to state that the work has not yet been carried out.

Sanitary Work.—Taken from form 572:

| CLASS OF BU | ILDING. | | No. | SANITARY CONDITION. |
|---|-----------|-------|---------------|--|
| Common Lodging Find District Council's Slaughter-how Workshops Workplaces Bakehouses Fried Fish Shops Cowsheds Offensive Trades | aughter-h | • • • | 7 12 10 | Good. do. Clean and not overcrowded do. do. All in satisfactory condition do. fairly satisfactory. |

Inspection Work.

| | | | 1909. | 1908. | 1907. | 1906. |
|---------------------------|--------|--------|-------|-------|-------|-------|
| Houses inspected | | | 190 | 150 | 160 | 150 |
| Factories | | | 200 | 150 | 180 | 280 |
| Privy Middens removed | | • • • | 41 | 12 | 32 | 47 |
| Earth Closets erected | | | 3 | 0 | 19 | 8 |
| Water Closets erected | • • • | | 74 | 69 | 26 | 53 |
| Waste Water Closets ere | cted | | O | 6 | 1 | 4 |
| Drains, &c., Flushed (us. | ing 17 | 73,000 | | | | |
| gallons of water) | | | 161 | 168 | 150 | 226 |
| Air Shafts erected | • • • | | 10 | 10 | 10 | 14 |

House Accommodation.—23 new houses have been built and certified for occepation during the year. All are through houses, most of them being cottages; but there were also several villas.

Bacteriological Analyses.—During the year 49 specimens were forwarded to the West Riding Laboratory at Wakefield, viz.:—Blood for Enteric Fever, 11; Throat Swabs for Diphtheria, 36; Sputum for Tuberculosis Bacillus, 2; Urine, 0.

Scavenging.—This work, carried out by the Councils staff, has been on the whole satisfactory.

It would be a much needed improvement if more of the larger privy middens could be emptied during the night.

SEWERAGE.—There are several short lengths of drains to be done, and at Oakenshaw the new works will shortly be taken in hand, when it is hoped that the complaints from that district will be avoided.

SMOKE NUISANCE.—The improvement noted last year has not been continued and there is far more smoke turned out than there ought to be. The detrimental effect of the air polution is a serious problem and the amount of soot precipitated in the course of a day must be considerable, and of this some cannot be removed by rain as it is of a sticky-tarry nature and very destructive to vegetation.

In calm weather the smoke whilst fouling the air also keeps out the sun.

DESTRUCTION OF REFUSE.—The Refuse Destructor continues to do good work, and figures relating to it will be found in the Sanitary Inspector's report.

OTHER STATISTICS.

HORSE AMBULANCE.—The Horse Ambulance has been used on 9 occasions for accidents and 20 times for the removal of invalids, a total of 29 times for the year. From the 3rd September, 1897, to date, it has been out on service 289 times, 99 for accidents and 190 for invalids.

Vaccination.—By the courtesy of the Vaccination Officer I have been enabled to tabulate the following figures.

| | | | | | | 1000 | 1908. | 1007 |
|-----------|------------|-------------|-------|---------|-------|------|-------|------|
| Infants l | Registered | 1 | | | | 0=0 | 259 | |
| 11 | Vaccinate | d at end of | year | | w 0 0 | 83 | 102 | 142 |
| , , | | prior to | | | of | | | |
| | Vaccii | nation | | | • • • | 12 | 16 | 27 |
| Postpon | ements, I | Removals a | nd U | nvaccii | nated | 28 | 37 | 88 |
| Certifica | tes of Co | nscientious | Objec | ctions | | 130 | 104 | 10 |
| | | Тот | ALS | | | 253 | 259 | 267 |
| | | | | | | | | |

From the above figures it will be seen that during the year 130 so called conscientious objectors took advantage of exemption. I have seen too much of Small Pox, and know the preventative value of Vaccination to have any sympathy with those who openly encourage the rapid growth of a population that must at no distant date offer itself a ready victim to Small Pox.

| Rainfall F | OR PAST | THREE | YEARS. TEMPERATURE. | | | | | |
|---|---|---|---|---|---|---|--|--|
| Month. | 1909. | 1908. | 1907. | 1909. | 1908. | 1907. | | |
| January February March April May June July August September October November December | 0.65 ,, 3.05 ,, 2.81 ,, 2.09 ,, 3.61 ,, 3.03 ,, 2.72 ,, 3.23 ,, 2.74 ,, 0.41 ,, 6.18 ,, | 2·55 ,, 3·12 ,, 2·43 ,, 2·01 ,, 1·39 ,, 2·80 ,, 1·84 ,, 3·01 ,, 1·49 ,, 1·67 ,, 1·23 ,, | 1.62 ,, 1.94 ,, 1.26 ,, 3.35 ,, 3.51 ,, 2.42 ,, 2.11 ,, 0.60 ,, 5.72 ,, 2.78 ,, 3.18 ,, | 48 19 51 27 56 23 66 31 72 31 63 35 70 44 72 46 60 40 60 26 54 26 50 20 | Max. Min- 52 20 49 30 52 29 58 26 72 40 78 42 80 46 72 46 70 42 73 42 56 33 50 16 | Max. Min. 48 22 52 21 62 27 64 30 74 36 70 43 80 42 72 44 68 36 62 34 55 31 52 30 | | |

MEDICAL OFFICER'S ANNUAL REPORT.

31st Dec., 1909.

FACTORY ACT ADMINISTRATION.—Appended are figures and details of the administration of this Act.

FACTORIES, WORKSHOPS. LAUNDRIES, WORKPLACES, and HOMEWORK.

1.—Inspection.

Including inspections made by Sanitary Inspectors or Inspectors of Nuisances.

| Premises. | | Number of | f |
|--|--------------|---------------------|--------------------|
| | Inspections. | Written Notices. | Prose- cutions. |
| Factories (Including Factory Laundries) | 100 | Nil. | Nil. |
| Workshops | 80 | One. | Nil. |
| (Including Workshop Laundries) Workplaces (Other than Outworkers' premises included in Part 3 of this Report). | 20 | Nil. | Nil. |
| Total | 200 | 1 | Nil. |

2.—Defects Found.

| | Num | ber of De | efects. | Number |
|---|--------|----------------|-----------------------------|--------------------------|
| Particulars. | Found. | Reme- died. | Referred to H.M. Inspector. | of Prosecu- tions. |
| Nuisances under the Public Health Act: Want of Cleanliness | 9 | 8 | Nil. | Nil. |
| Total | 10 | 8 - | Nil. | Nil. |

3.—REGISTERED WORKSHOPS.

| Workshops | | | | 60 |
|------------|-------|-------|-------|----|
| Bakehouses | 0 0 0 | | • • • | 10 |
| Workplaces | | * * * | | 17 |

4.—Other Matters.

| · Class. | Number. |
|---|---------|
| Matters notified to H.M. Inspector of Factories: | Nil. |
| Failure to affix Abstract of the Factory and Workshop Act (S. 133) | Nil. |
| Action taken in matters referred by H.M. Inspector as remediable under the Public Health Acts, but not under the Factory and Workshop Act (S. 5): | |
| Notified by H. M. Inspector | |
| Reports (of action taken) sent to H,M. | |
| Inspector | |
| Other matters | |
| Underground Bakehouses (S. 101): | One. |
| Certificates granted during the year | Nil. |
| In use at the end of the year | One. |

Table C, 1909.

CLECKHEATON SANITARY DISTRICT.

Water Supply.—Any development during 1909? No.

Developments still needed?

Has public supply been continuous? Yes.

Is the water plumbo-solvent and if so, what corrective treatment is applied? No.

Any samples tested for lead during 1909? No. Result?

SEWERAGE.—Developments during 1909? None

Developments still needed? Several short lengths to relay Sewerage of Oakenshaw and outfall works.

Special Sewer Ventilators. Kind in use? Webbs destructor lamps. Number 3. Are they satisfactory? Yes.

Any offensive Manholes? No.

SEWERAGE DISPOSAL.—Any complaints as to outfall works? Night complaint re Oakenshaw.

Scavenging.—Any inadequacy, and where? No.

Bye-Laws and Regulations.—Any adopted or sanctioned during 1909? Markets.

ADOPTIVE ACTS.—Any steps taken for the consideration, adoption, or application of:

- (a) Notification of Births Act, 1907? No,
- (b) Public Health Acts Amendment Act, 1907? No. What Sections? None.
- (c) Other Adoptive Acts? None.

| Regulated Buildings, Trades, &c. | No. in District | No. on Register. | Total No. of Inspec- tions made. | General Condition. | Legal Pro- ceedings (if any). |
|--|-------------------------|-------------------------|--|---------------------|--|
| Common Lodging Houses Canal Boats Slaughter Houses Cowsheds Offensive trades | 0 0 10 42 0 | 0 0 10 42 0 | 0 0 20 40 0 | Good Mostly good | |

- Cowshed.—Any special inspection made during 1909? Yes.

 Any milk samples tested for tubercle, and with what result? No.
- Infectious Disease.—Any suspected spread by rats, dogs, cats, fouls, flies or fleas? No.
- ISOLATED HOSPITAL.—Any observation on adequacy or efficiency?
 No.
- Schools.—Any matter calling for special attention of School, Medical Officer? No.
- MIDWIFES. ACT, 1902.—Are there any uncertified women attending confinements without a doctor? Not that I know of.
- DWELLINGS.—Any occupied houses unfit for habitation? No.

Any overcrowding of persons in houses? No.

Any action taken under the Housing Acts? No.

Is house-to-house inspection systematically made? Yes. Are records kept? Yes.

Any special activity in house-building? No.

- Number of Houses built during 1909? 23. General character? Mostly cottages and a few villas.
- Do the new houses accord with Bye-Laws? Yes. Who deals with plans? Surveyor.
- INFANTILE MORTALITY.—What organised effort to control it? None.

 Is Health Visitor appointed by S.A.? No. By other body?

 No.
- Prevention of Consumption.—Any system of notification? Voluntary.

Any local treatment of Patients on sanatorium lines? No.

Any Sanitary Inspection of Patients' Houses? Yes.

Any Disinfecting of ditto? Yes.

Any distribution of advice? No.

Any Action re spitting? No.

Any disinfection of public rooms, vehicles, etc? Yes.

Nuisances.--

Total No. of Nuisances in hand at close of 1908? 2

At close of 1909? 9.

Reported during 1909? 70.

Abated during 1909? 63.

Total No. of Legal Notices served for Abatement of Nuisances during 1909? 47.

Total No. of Summonses or other Legal Proceedings? None.

No. of Sink wastes disconnected during 1909? Unknown.

Trapped?

No. of Closets newly constructed during 1909? 77.

Kinds? 74 overhead flush and 3 earth closets.

No. of Closets re-constructed during 1909? 41.

Kinds? 38 overhead and 3 earth.

METEOROLOGY.—Mean Temperature for 1909? 45.

Rainfall? 32.25.

WHAT ACTION HAS BEEN TAKEN in regard to the following matters?

Seizures of Unsound Food? 2. Prosecutions? None.

Samples under Sale of Food and Drugs Act? None.

MEDICAL OFFICER'S ANNUAL REPORT.

31st Dec., 1909.

Prosecutions? None.

No. of Smoke observations taken? None.

Legal Notices? None. Summonses? None.

BIRTHS DURING 1909.—

Males, 124. Females, 129. Total, 253.

Number illegitimate, included in above? 5.

Number of Still Births (not included)?

DEATHS DURING 1909.—

- (1) Gross Deaths, i.e., Total actually registered in the district, without any correction? 156.
- (2) Nett Deaths. on which the rates are calculated?
 Males, 73. Females, 80. Total, 153.

Number uncertified, included in the above? None.

SANITARY REQUIREMENTS OF DISTRICT AND SUGGESTIONS OF MEDICAL OFFICER OF HEALTH.

VITAL STATISTICS OF WHOLE DISTRICT DURING 1909 AND PREVIOUS YEARS

| RT | BIRTHS. | ToT | TOTAL DEATHS REGISTE THE DISTRICT. | REGISTEREI TRICT. | RED IN | TOTAL DEATHS | Deaths of Non- Residents | Deaths of Residents registered | NETT DEATHS AT ALL AGES BELONGING TO THE DISTRICT. | THS AT ALL ONGING TO STRICT. |
|----------------|---------|-------|---------------------------------------|----------------------|-----------|------------------------|--|--------------------------------------|--|------------------------------|
| Under 1 | Under 1 | 3 | Under 1 Year of Age. | At all | all Ages. | PUBLIC INCTITE | registered in Public | in Public Institu- | 11111 | |
| Rate & Number. | Number | | Rate per 1000 Births | Number. | Rate \$ | TIONS IN THE DISTRICT. | Institu- tions in the District. | tions beyond the District. | Number. | Rate 🕏 |
| 10 | 10 | | 9 | 7 | ∞ | 6 | 10 | | 12 | 13 |
| 20.20 | 3+ | - No. | 130.7 | 21+ | 16.63 | 38 | 20 | 0 | 20+ | 15.07 |
| 20.6+ 2+ | | | 8.6% | (| | + | CI | CI | + | 11.13 |
| 19.92 | 30 | | 115.8 | 177 | 13.61 | CI | <i>(</i>) | -+- | 179 | 13.61 |
| 19.35 | 26 | | 102.7 | 156 | 11.93 | <u></u> | ~ | Ŋ | 153 | 11.70 |

8 Rates in Columns 4, 8 and 13, calculated per 1000 of estimated population.

Area of District in acres (exclusive of area covered by water)...1755.

Total population at all ages, 12520. (1901 Census). Number of inhabited houses, 3051.

Average number of persons per house, 4·10

31st Dec., 1909.

TABLE II.

VITAL STATISTICS OF SEPARATE LOCALTIES IN 1909 AND PREVIOUS YEARS.

| Names of Localities. | CLE | CKH | EATO | N. | | SCHC | LES. | | OA | KEN | SHAW | 7. |
|-------------------------|--|--------------------|---------------------|----------------------|--|--------------------|---------------------|----------------------|--|--------------------|---------------------|----------------------|
| Year. | Population estimated to middle of each year. | Births Registered. | Deaths at all Ages. | Deaths under 1 year. | Population estimated to middle of each year. | Births Registered. | Deaths at all Ages. | Deaths under 1 year. | Population estimated to middle of each year. | Births Registered. | Deaths at all Ages. | Deaths under 1 year. |
| 1906 | 10500 | 207 | 172 | 30 | 1725 | 42 | 20 | 4 | 640 | 11 | 12 | 0 |
| 1907 | 10545 | 216 | 116 | 20 | 1740 | 42 | 23 | 4 | 645. | 9 | 5 | 0 |
| 1908 | 10600 | 216 | 154 | 20 | 1750 | 34 | 19 | 2 | 650 | 9 | 6 | 0 |
| 1909 | 10655 | 198 | 129 | 22 | 1760 | 43 | 17 | 2 | 655 | 12 | 7 | 2 |
| | | | | | | |) | | | | | |

Institutions within the District receiving sick and infirm persons from outside the District?

1. North Bierley Joint Hospital, for Infectious Diseases.

Institutions outside the District receiving sick and infirm persons from the District?

- 1. West Riding Lunatic Asylum.
- 2. Bradford Royal Infirmary.

Other Institutions, the deaths in which have been distributed among the several localities in the District?

Nil.

TABLE III.

CASES OF INFECTIOUS DISEASES NOTIFIED DURING THE YEAR 1909.

| | | | | | ifie istri | | 1 | | fied | as e s l in ality | r He | em ospi | ove Ital | ases d to from ality. |
|--|--------------|----------|---------|----------|---------------|----------|--------------------|-------------|----------|--------------------------------|-------------|------------|-------------|-------------------------------------|
| NOTIFIABLE DISEASE. | Ages. | A | t A | lge: | s | Yea | urs. | eaton. | | haw. | eaton. | 3. | shaw. | uses re- Hospital |
| | At all Ages. | Under 1. | 1 to 5. | 5 to 15. | 15 to 25. | 25 to 65 | 65 and upwards. | Cleckheaton | Scholes. | Oakenshaw. | Cleckheaton | Scholes. | Oakenshaw | Total Cases re- moved to Hospita |
| Small-pox | | | | | | | | | | | | | | |
| Cholera | | | | | | | | | | | | | | |
| Diphtheria (including Membranous croup) | 1 | | | | | 1 | | 1 | | | 1 | | | 1 |
| Erysipelas | 1 | | | | | 1 | e e | 1 | | | | | | |
| Scarlet Fever | 15 | | 4 | 10 | 1 | | | 9 | 2 | 4 | 8 | 1 | 4 | 13 |
| Typhus Fever | | | | | | | | | | | | | | |
| Enteric Fever | | | | | | | | | | | | | | |
| Relapsing Fever | | | | | | | | | | | | | | |
| Continued Fever | | | | | | | | | | | | | | |
| Puerperal Fever | | | | | | | | | | | | | | |
| Plague | | | | | | | | | | | | | | |
| Totals | 17 | 0 | 4 | 10 | 1 | 2 | 0 | 11 | 2 | 4 | 9 | 1 | 4 | 14 |

Isolation Hospital: North Bierley Joint Hospital.

Total available Beds: 50. Number of diseases that can be concurrently

treated: 3.

TABLE IV.

CAUSES OF, AND AGES AT, DEATH DURING YEAR 1909.

| | Deaths v | at the sub whether oc th | joined ag curring i ne Distric | n or beyo | esidents' ond |
|---|--------------------|--------------------------------|--------------------------------------|-----------------------|------------------|
| CAUSES OF DEATH. | All Ages. | Under 1 year. | 1 and under 5. | 5 and under 15. | 15 and under 25. |
| 1 | | 3 | | | |
| 1 | 2 | 3 | 4 | 5 | 6 |
| Small-pox Scarlet fever Whooping-cough Diphtheria (including Membranous | 1 2 | 1 | 1 1 | | |
| Croup Croup Typhus Enteric Other continued | | | | | |
| Epidemic influenza Cholera Plague Enteritis | | | | | |
| Gastritis Puerperal Fever Erysipelas Phthisis (Pulmonary Tuberculosis) Other tuberculous diseases | 1 | | 1 | | 1 2 |
| Cancer, malignant disease Bronchitis Pneumonia Pleurisy | 10 20 6 3 | 2 | 1 | 1 1 | <i>~</i> |
| Other Diseases of Respiratory organs Alcoholism, Cirrhosis of liver | 7 4 | 2 | 2 | | |
| Venereal Diseases Premature birth Diseases and accidents of parturition Heart diseases | 9 1 12 | 9 | | | |
| Accidents Suicides All other causes | 1 1 66 | 12 | 1 | 1 | 1 |
| All causes | 153 | 26 | 7 | 3 | 4 |

MEDICAL OFFICER'S ANNUAL REPORT.

31st Dec., 1910.

TABLE IV.—Continued.

CAUSES OF, AND AGES AT, DEATH DURING YEAR 1909.

| CAUSES OF DEATH. 25 and 65 and 1 | | | | subje | hs at bined b, etc. | 'Reside to loca occu yond | s at all ents'bel lities, w rring in the D | onging whether or be- | Total deaths |
|--|------------------|----------------|-------|---------------|---------------------------|------------------------------------|--|-----------------------------|---------------------------|
| Measles Saralet Fever Scarlet Fever Scarlet Fever Starlet Fever St | CAUSES OF | OEATH. | | under 65 | up- | Cleckh | Scholes | Oak'shaw | in Public Institutions |
| Measles 3 Scarlet Fever 1 2 Whooping-cough 2 1 Diphtheria (including Membranous croup) 1 Croup 2 Fever Enteric 2 Cholera Plague | 7 | | | 8 | 9 | 10 | 11 | 12 | 13 |
| Measles 3 Scarlet Fever 1 2 Whooping-cough 2 1 1 Diphtheria (including Membranous croup) 1 2 Croup 2 | | | | | | | | | |
| Scarlet Fever | | • • • | | | | | | | |
| Whooping-cough 2 Diphtheria (including Membranous croup) Croup Gryphus Enteric Other continued Epidemic influenza Cholera Plague Diarrhea Enteritis Gastritis Puerperal fever Erysipelas Other Tuberculous diseases 1 3 Other Tuberculous diseases 1 3 1 Cancer, malignant disease 7 3 9 1 Bronchitis 8 9 16 4 Pneumonia 1 3 6 1 Pleurisy 2 1 7 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 4 4 Venereal Diseases 9 1 <td< td=""><td></td><td>• • •</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | • • • | | | | | | | |
| Diphtheria (including Membranous croup) | | • • • | | | | $\frac{1}{2}$ | | | 3 |
| Croup Fever { Typhus Enteric Other continued Epidemic influenza Cholera Plague Diarrhea Enteritis Gastritis Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) 4 1 4 2 Other Tuberculous diseases 1 3 1 Cancer, malignant disease 7 3 9 1 Bronchitis 8 9 16 4 Pneumonia 1 3 6 1 Pleurisy 2 1 7 Alcoholism, Cirrhosis of liver 4 4 Venereal Diseases 9 Diseases and accidents of parturition 1 1 1 Heart diseases 6 6 12 Accidents <td></td> <td></td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td></td> <td></td> | | | | | | 2 | | | |
| Croup Typhus 2 Fever { Enteric Other continued 2 Cholera 2 Plague 2 Diarrhea 2 Enteritis 3 Gastritis 4 Puerperal fever 4 Erysipelas 4 Phthisis (Pulmonary Tuberculosis) 4 4 Cancer, malignant disease 7 Bronchitis 8 Pneumonia 1 Sepicatory organs 3 Other diseases of Respiratory organs 2 Alcoholism, Cirrhosis of liver 4 Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition 1 1 Heart diseases 6 6 Laccidents 1 1 Suicides 1 1 | | Membrano | us | | | | | | 1 |
| Fever { Typhus Enteric Other continued 2 Other continued 2 Epidemic influenza 2 Cholera 3 Plague 4 Diarrhea 4 Enteritis 5 Gastritis 6 Puerperal fever 6 Erysipelas 7 Phthisis (Pulmonary Tuberculosis) 4 1 Cancer, malignant diseases 1 Cancer, malignant disease 7 Brounditis 8 Pneumonia 1 Cher diseases of Respiratory organs 2 Other diseases of Respiratory organs 2 Alcoholism, Cirrhosis of liver 4 Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition 1 1 Heart diseases 6 6 Laccidents 1 1 Suicides 1 1 | | • • • | • • • | | | | | | † |
| Enteric | Croup | • • • | • • • | | | | | | |
| Other continued Epidemic influenza Cholera Plague Diarrhœa Enteritis Gastritis Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) 4 1 4 2 Other Tuberculous diseases Phthisis (Pulmonary Tuberculosis) 4 1 3 1 Cancer, malignant disease 7 3 9 1 Bronchitis 8 9 16 4 Pneumonia 1 3 6 1 Pleurisy 3 0 1 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 4 Venereal Diseases Premature Birth Diseases and accidents of parturition 1 Heart diseases 6 6 12 Accidents 1 1 Suicides 1 1 | | | • • • | | | 1 | | | |
| Epidemic influenza Cholera Cholera Plague Diarrhœa Enteritis Gastritis Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) Other Tuberculous diseases I 3 1 Cancer, malignant disease I 3 9 1 Bronchitis I 3 6 1 Pleurisy I 3 6 1 Pleurisy I 3 6 1 Pleurisy I 4 7 Alcoholism, Cirrhosis of liver Venereal Diseases Premature Birth Diseases and accidents of parturition Heart diseases I 4 7 Accidents I 5 1 Accidents I 1 1 Late of the disease of the parturition of the diseases I 5 1 I 6 1 I 7 Accidents I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 I 1 1 1 I 1 1 1 I 1 1 1 I 1 1 1 I 1 1 1 I 1 1 1 I 1 1 1 I 1 I 1 I 1 | | | • • • | | | | | | 2 |
| Cholera Plague Diarrhea Enteritis Gastritis Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) Other Tuberculous diseases 1 3 1 Cancer, malignant disease 7 3 9 1 Bronchitis 8 9 16 4 Pneumonia 1 3 6 1 Pleurisy 1 3 6 1 Pleurisy 1 3 6 1 Pleurisy 1 4 7 Alcoholism, Cirrhosis of liver Venereal Diseases Premature Birth Diseases and accidents of parturition Heart diseases Accidents 1 1 1 Suicides 1 1 | | | | | | | | | 1 |
| Plague Diarrheea Enteritis Gastritis Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) Other Tuberculous diseases Cancer, malignant disease Pneumonia Pneumonia Other diseases Offer diseases Offer diseases Premature Birth Diseases and accidents of parturition Heart diseases New York of the Company of the Co | | | • • • | | | | | | |
| Diarrhea Enteritis | | | • • • | | | | | | |
| Enteritis Gastritis Puerperal fever Puterperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) Other Tuberculous diseases Cancer, malignant disease Table and the sease and accidents of parturition Heart diseases Puerperal fever Erysipelas 1 | Diamboos | * * * | • • • | | | | | | |
| Gastritis Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) Other Tuberculous diseases Cancer, malignant disease Cancer, malignant diseases Cancer, mali | | • • • | • • • | | | | | | |
| Puerperal fever Erysipelas Phthisis (Pulmonary Tuberculosis) 4 1 4 2 Other Tuberculous diseases 1 3 1 Cancer, malignant disease 7 3 9 1 Bronchitis 8 9 16 4 Pneumonia 1 3 6 Pleurisy 3 2 1 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 Venereal Diseases Premature Birth 9 Diseases and accidents of parturition 1 Heart diseases 6 6 12 Accidents 1 1 Suicides 1 1 | O | • • • | • • • | | | | | | |
| Erysipelas Phthisis (Pulmonary Tuberculosis) 4 1 4 2 2 Other Tuberculous diseases 1 3 1 3 1 | | • • • | - 1 | | | | | | |
| Phthisis (Pulmonary Tuberculosis) 4 1 4 2 2 | | • • • | | | | | | | |
| Other Tuberculous diseases 1 Cancer, malignant disease 7 Bronchitis 8 Pneumonia 1 3 6 Pleurisy 3 6 Pleurisy 3 2 1 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 Venereal Diseases Premature Birth Diseases and accidents of parturition 1 Heart diseases 6 6 12 Accidents 1 1 1 | | | rie) | 4 | 1 | 4 | | 2 | |
| Cancer, malignant disease 7 3 9 1 Bronchitis 8 9 16 4 Pneumonia 1 3 6 1 Pleurisy 3 2 1 1 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 4 Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition Heart diseases 6 6 12 Accidents 1 1 Suicides 1 1 | | | - 1 | 1 | 1 | | 1 | 2 | |
| Bronchitis 8 9 16 4 Pneumonia 1 3 6 Pleurisy 3 2 1 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition 1 1 Heart diseases 6 6 12 Accidents 1 1 1 | | | | $\frac{1}{7}$ | 3 | | 1 | | |
| Pneumonia 1 3 6 1 1 1 Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 4 Venereal Diseases Premature Birth 9 Diseases and accidents of parturition Heart diseases 6 6 12 Accidents 1 1 5 Suicides 1 1 1 | T) 1 '/' | | - 1 | 8 | | _ | | | |
| Pleurisy | T) | | | 1 | | | | | 1 |
| Other diseases of Respiratory organs 2 1 7 Alcoholism, Cirrhosis of liver 4 4 Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | TO 1 | | | 3 | 3 | | 1 | | 1 |
| organs 2 1 7 Alcoholism, Cirrhosis of liver 4 4 4 Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | _ | 1 | | 1 |
| Alcoholism, Cirrhosis of liver 4 Venereal Diseases Premature Birth 9 Diseases and accidents of parturition 1 Heart diseases 6 6 12 Accidents 1 1 1 1 Suicides 1 1 | | _ | | 2 | 1 | 7 | | | |
| Venereal Diseases 9 Premature Birth 9 Diseases and accidents of parturition 1 1 1 Heart diseases 6 6 12 Accidents 1 1 1 1 1 Suicides 1 1 1 | | | | | 1 | | | | |
| Premature Birth 9 Diseases and accidents of parturition 1 Heart diseases 6 6 12 Accidents 1 1 1 1 | | | | | | | | | |
| Diseases and accidents of parturition Heart diseases 6 6 12 Accidents 1 1 1 1 Suicides 1 1 | | • • • | | | | 9 | | | |
| Heart diseases 6 6 12 Accidents 1 1 Suicides 1 1 | | s of parturiti | | 1 | | | | | |
| Accidents 1 1 1 Suicides 1 1 | | _ | | | 6 | | | | |
| Suicides 1 1 1 | | | | 1 | | | | | |
| All other causes 23 28 51 10 5 1 | | | | 1 | k | | | | |
| | All other causes | | | 23 | 28 | 51. | 10 | 5 | 1 |
| | | | | 0 | | | | | 1 |
| | | | | | | | | | 1 |
| All causes 62 51 129 17 7 9 | All causes | | | 62 | 51 | 129 | 17 | 7 | 9 |

TABLE V.

INFANTILE MORTALITY DURING THE YEAR 1909.

Deaths from stated Causes in Weeks and Months under One Year of Age.

| | CAUSE OF | DEAT | Н. | | | Under I Week | 1-2 Weeks. |
|---|--|------------------|-----------------|---------------------|---|--------------|------------|
| All Causes. | (Certified Uncertified | • • • | | ••• | • • • | 8 0 | 1 0 |
| i. Common Infectious Dise ase s. | Small Pox Chicken Pox Measles Scarlet Fever Diphtheria (included Whooping Cough | | embrano | us Croup) | | | |
| ii. Diarrhœal Diseas e s | Diarrhœa, all for Enteritis, Muco-e Gastritis, Gastro-i | nteritis, | | | • • • | | |
| iii. Wasting Diseases. | Premature Birth Congenital Defect Injury at Birth Want of Breast-n Atrophy, Debility | ets nilk, Sta | | ••• | • | 4 3 | 1 |
| iv. Tuberculous Diseases. | (Tuberculous Men Tuberculous Peri Other Tuberculou | tonitis: | Tabes M | Iesenterica | • • • | | |
| v. Other Caus e s. | Erysipelas Syphilis Rickets Miningitis (not Tue Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overly Other Causes | • • • | 115) | | ••• | 1 | |
| | | | Т | OTAL | • • • | 8 | 1 |

Births in the Year. Legitimate, 248. Deaths in the Year. Illegitimate. 5. Deaths in the year of Illegitimate Infants, 26.

Deaths from all Causes at all Ages, 153.

MEDICAL OFFICER'S ANNUAL REPORT.

31st Dec., 1909.

TABLE V.

INFANTILE MORTALITY DURING THE YEAR 1909.

Deaths from stated Causes in Weeks and Months under One Year of Age.

| | | | | | , | | | | <u> </u> | | | | - 12 | |
|------------|------------|------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--|
| 2-3 Weeks. | 3-4 Weeks. | Total under 1 Month | 1-2 Months. | 2-3 Months. | 3-4 Months. | 4-5 Months. | 5-6 Months. | 6-7 Months. | 7-8 Months. | 8-9 Months. | 9-10 Months | 10-11 Months | 11-12 Months | Total Deaths under One Year. |
| 3 0 | 1 | 13 | 0 | 3 | 0 | 0 0 | 1 0 | 0 | 1 0 | 3 | 3 0 | 0 | 2 0 | 26 0 |
| | | | | | | | | | | | | | | |
| | | | ^ | | | | | | | | | | | |
| | | | | 1 | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | |
| 2 . | 0 | 7 3 | | 2 | | | | | | | | | | 9 |
| | | | | | | | | | | | | | | v |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 1 | 1 | 3 | | | | | | | | 2 | 1 | | | 6 |
| | | | | | | | | | | | 1 2 | | | 6 2 |
| | | | | | | | 1 | | 1 | 1 | | | 2 | 5 |
| 3 | 1 | 13 | 0 | 3 | 0 | 0 | 1 | 0 | 1 | 3 | 3 | 0 | 2 | 26 |

Population. Estimated to middle of 1909, 13070.

31st Dec., 1910.

Table showing Population, Births, etc., in some West Riding towns from which Returns were received.

| TOWN | POPULA-TION, | | BIRTHS. | DEA | EATHS. | Zymotic Death | Phthisis Death | Respira- tory Diseases | Infantile Death | No. of Notifica- |
|--------------|--------------|-----|-------------------|-----|------------------|------------------|-------------------|------------------------------|--------------------|---------------------|
| | 1909. | No. | Rate per 1000. | No. | Rate per 1000 | Rate. | Rate. | Death Rate. | per 1000. | tions Received. |
| Birstal | • | 184 | 27.75 | 115 | 16.88 | .29 | | | 0.92 | 34 |
| Brighouse | 22455 | 411 | 19.35 | 277 | 12.3 | 60. | 26. | 3.00 | 0.26 | 158 |
| Heckmondwike | 6 6 | | 17.97 | | 17.54 | .74 | 1.26 | | 162.0 | 23 |
| Liversedge | 15200 | 318 | 20.9 | 189 | 12.4 | $\dot{\infty}$ | 6. | 1.9 | 106.9 | 61 |
| Mirfield | 11094 | 252 | 22.71 | 179 | 16.13 | 9. | 6. | 2.25 | 115.07 | 99 |
| Pudsey | 13833 | 260 | 18.7 | 228 | 16.3 | 59. | 98. | 2.9 | 153.8 | 87 |
| Gomersal | 4285 | 89 | 15.86 | 57 | 13.30 | 1.16 | .93 | 1.86 | 117.0 | 21 |
| Cleckheaton | 13070 | 253 | 19.35 | 153 | 11.7 | 22. | .45 | 2.75 | 102.7 | 17 |

JOHN A. SUTHERLAND, M.B., C.M., MEDICAL OFFICER OF HEALTH.



